

## **Tropical Agrobiodiversity (TRAB)**

### **HEAD OFFICE ADDRESS:**

**Zibeline International Publishing Sdn Bhd** 

C2-2-3, Block 2, CBD Perdana 3, Persiaran Cyberpoint Timur, Cyber 12, 63000 Cyberjaya, Selangor.

Tel: +603-86879842

**EDITORIAL STAFF:** 

**Publishing Manager** 

Tasbia Ab Rajul

**Publishing Editor** Nurul Afiqah Ab Manan

**Technical Editor** Muhammad Aqil Zikry

**Technical Editor** Dg Ku Siti Nuraina Awang

**Technical Editor** Nuraliah Natasha Amirrulhisam Frequency:

Bi-annual (2 issue per year)

ISSN: 2716-7046 (Online)

Price:

Single issue: 50 MYR Price for abroad Single issue: 25 USD

Web:

www.trab.org.my

E-mail:

info@zibelinepub.com

# **Tropical Agrobiodiversity (TRAB)**

## Contents

| VOLUME 3, ISSUE 2, 2022 |   |       |
|-------------------------|---|-------|
| No                      | Editorial   | Pages |
| 1                       | IDENTIFICATION OF COWPEA WEEVIL ( <i>Callosobruchus maculatus</i> L. Walp) IN SOME SELECTED LOCAL GOVERNMENT AREAS OF KWARA STATE       | 21-24 |
| 2                       | NITROGEN USE EFFICIENCY (NUE) AND RICE PRODUCTIVITY AS AFFECTED BY DIFFERENT LEVELS OF NITROGEN APPLICATION IN HILL CONDITIONS OF NEPAL | 25-29 |
| 3                       | EFFECT OF DIFFERENT MULCHING MATERIALS ON GROWTH AND YIELD OF CUCUMBER (Cucumis sativus cv. Bhaktapur local), IN GOKULESHWOR, BAITADI   | 30-35 |
| 4                       | EVALUATION OF CHERRY TOMATO (SOLANUM LYCOPERSICUM L. VAR. CERASIFORME) GENOTYPES FOR GROWTH AND YIELD ATTRIBUTES                        | 36-42 |
| 5                       | PRODUCTION AND COMMERCIALIZATION OF NIGELLA (Nigella sativa L.)   | 43-47 |
|                         | EFFECT OF DIFFERENT PRIMING METHODS ON GERMINATION BEHAVIOUR OF BROADLEAF MUSTARD CV. MARPHA CHAUDA PAATE                               | 48-55 |

## **Tropical Agrobiodiversity (TRAB)**

## **Editorial**

Agricultural biodiversity is the diversity of crops and their wild relatives, trees, animals, microbes and other species that contribute to agricultural production. This diversity – which results from thousands of years of interactions among people and the environment – is a key component of healthy diets and human health. Food biodiversity is crucial to fight malnutrition and diet-related diseases. A diverse diet increases the likelihood of consuming adequate amounts of the full range of nutrients essential to human health. In agricultural production, agrobiodiversity supports long-term productivity, resilience and multiple ecosystem services, boosting yields in quality and quantity, increasing soil and water quality, and reducing the need for synthetic fertilizers. It also makes farmers' livelihoods more resilient, reducing yield losses due to climate change and pest damage. Broadening the types of cultivated plants is also good for the environment, increasing the abundance of pollinators and beneficial soil organisms, and reducing the risk of pest epidemics. Agricultural biodiversity also keeps open options for unknown future needs, when conserved. This can happen in gene banks as well as on farms, where agrobiodiversity is conserved by using it.

## Scientific Board

### **Editorial Team**

#### **Editor in Chief**

Dr Fridelina Sjahrir Faculty of Engineering and Life Sciences Bestari Jaya, Selangor Darul Ehsan, Malaysia

### **Associate Editor**

Dr Gab Olulakin Adesina Department of Crop and Environmental Production Ladoke Akintola University of Technology Oyo, – State, Nigeria

#### **Editorial Board**

Dr a K M Mominul Islam Department of Agronomy Bangladesh Agricultural University, Mymensingh-2202, Bangladesh Md. Jewel Alam Phd Researcher Department of Entomology Faculty of Agriculture Bangladesh Agricultural University Mymensingh-2202, Dhaka, Bangladesh

Roksana Aftab (RUHI) Department of Agriculture, Noakhali Science and Technology University Noakhali, Chttagong, Bangladesh